

# Becrypt OS

## High Assurance Secure Endpoint Solutions

As a highly secure operating system, Becrypt OS enhances enterprise security with unique health measurement technology, ensuring system and application components are free of compromise.

We work with government and private sector organisations, helping them protect high-value services, while maintaining the cost and usability benefits of virtualisation, web or cloud-based environments.

Built with UK Government



HM Government





## High Assurance Secure Endpoint Solutions

Becrypt OS (formerly known as Paradox) is based on the Linux open source operating system to meet cloud, web and virtualised application access requirements, providing a secure and resilient browser-based and lightweight application environment.

### Becrypt OS Variant descriptions

**Becrypt OS** - Flagship product version, fully featured except custom secure boot keys and custom boot screen animation.

**Becrypt OS+** - Mandates custom secure boot keys, 2FA with smartcards and ethernet only network connections.

### The Security Principles of Becrypt OS

- Maintain trust in the identity and integrity of a device through its lifetime
- Ensure only authorised Apps and Updates can be installed
- Ensure confidentiality of services and data of authorised user

### System Requirements

#### Minimum system requirements:

- x64 Processor, 2GB RAM, 16GB Disk

#### Recommended system requirements:

- Intel Core i3 or higher. Or AMD equivalent. 4GB of RAM or more
- 16GB of HDD disk space or more. Ideally SSD, SSD with NVMe is perfect
- TPM1.2 or 2.0 recommended but not mandatory

#### Additional Requirements for Becrypt OS variants:

- UEFI Mandatory (no BIOS support)
- Hardware must support custom secure boot keys
- TPM 1.2 or 2.0 mandatory. Ideally a discreet (physical TPM) but Intel PTT TPMs are supported
- Yubikey or PIV2 smartcard for authentication



## Security Features

### Device Identity and Health

- Trusted Platform Module (TPM) as hardware root of trust
- TPM based encryption key and system measurements protection
- Secure Boot with support for custom keys
- Measured Software Execution extends to application layer
- Remote Attestation provides device identity management and controlled access to protected services
- Cryptographically signed updates and device policies

### Device Protection

- Read-only system image
- Built-in (compile time) user and application models prevent unauthorised privilege escalation
- Encrypted configuration partition for user preferences
- Optional TPM-backed encrypted data partition
- Compile-time source minimisation for reduced attack surface
- AppArmor profiles for all in built and Becrypt supplied apps
- Fine-grained USB device control

### Network Protection and Monitoring

- 802.1x for WiFi connections
- FileBeat integration for runtime integrity monitoring and real-time alerting to ELK base SOCs
- Global network proxies

### Authentication

- Two-factor authentication and single sign-on support
- Azure AD authentication integration
- Okta and OpenAM OAuth based authentication integration
- Web App based SSO with policy control
- NHS smartcard Integration

### Standard Client Application Support

Examples of typically installed and configured applications include:

- Chrome, Firefox
- VMware, Citrix, Amazon Workspaces and multiple RDP clients
- Cisco and OpenSwan VPN Client
- Libra Office
- Rocket Chat

## Standard Configuration Options

- Low Touch automated deployment configuration
- KIOSK mode with configurable T&Cs page
- Application auto-launching based on configurable conditions
- Centralised printer configuration
- Smartcard pin reset application
- Managed browser extensions
- Guest mode
- Samba shares for mounting network drives via BEM policy settings
- Browser bookmarks
- Audio settings
- Display settings
- Keyboard & mouse settings
- Accessibility settings
- Language settings
- WiFi settings
- Application setting

## Smart Card Support

Becrypt OS supports PIV compliant smartcards for 2FA to the device. FIPS 201 (Federal Information Processing Standard Publication 201) is a United States federal government standard (NIST) that specifies Personal Identity Verification (PIV). It is now a commonly adopted standard across many of the major smartcard vendors such as Yubico, HID, Gemalto and Entrust.

The Yubikey 5 range by Yubico is widely used because it is a USB form factor that doesn't require an additional Smartcard Reader device. Becrypt can also provide Yubikey programming and recovery tools integrated to the solution with certificate lifecycle management.


## System Customisation

Becrypt can offer customer specific customisations to Becrypt OS for specialist applications or personalisations that are not to be included as standard functions within the base. Additionally the base Becrypt Linux OS may not contain drivers for some unusual or closed source devices, or VPNs.

For these circumstances we use a type of Union file system called OverlayFS to make additions to the file system in a way that can maintain our boot time integrity checks.

There are two types of Overlay; System Level Extension (SLEs) for VPNs and Drivers and Platform Customisation Layers (PCLs) for personalisations. Both can be provided by Becrypt on request and are uploaded alongside OS updates to BEM (Becrypt Enterprise Manager).

## Security Architecture Overview



## Secure Boot

Becrypt OS implements a standard secure boot process for bootloader validation, firmware integrity validation and validation of initial operating system components.

Further Becrypt OS variants allow the customer to sign their specific Becrypt OS build providing assurance that only their own version of Becrypt OS will boot on their hardware.

## Measured Execution

Measured execution extends trust from the initial Secure Boot process. Becrypt OS implements a scheme referred to as “dm-verity” (Device Mapper Verity), which validates system reads at a block device level using a cryptographic hash tree. For every block (typically 4k), there is a SHA256 hash.


The hash values are stored in a tree of pages, only the top-level “root” hash must be trusted to verify the rest of the tree. For Becrypt OS, the top-level hash is protected by the Secure Boot process, ensuring a continuation of trust from the early boot process through all system files including 3rd-party drivers.

## Policy and Application Signing

Becrypt OS system updates involves replacing the entire system image using a process which is secure, safe and can be mandated and automated. A Public Key Infrastructure (PKI) based scheme is used to cryptographically sign system updates, applications and policies delivered via an encrypted and authenticated client-server communication channel with the Becrypt Enterprise Manager (BEM) server.

This methodology ensures that:

- Only applications specifically packaged and signed for the system image can run on the Becrypt OS client, preventing application side loading or the injection of unapproved applications. This process extends the trust boundary from the measured execution process.
- Only the specific updates and policies configured within the BEM server can be applied to the Becrypt OS clients, preventing malicious attempts to subvert the endpoint.



## Read-only System Image

**Becrypt OS** uses a non-persistent system partition to prevent sensitive data from being written to persistent storage on the device, as well as providing significant mitigation against malware persistence.

## Encrypted Data and User Profiles

**Becrypt OS** is typically required to store some data locally such as the Device Policy and Certificates. To protect this information from offline attacks, Becrypt OS encrypts the Configuration Data Partition using AES and a 256 bit key (DEK) which is itself encrypted by a Key Encryption Key stored in the TPM and sealed by the TPM on the local device.

## Two Factor Authentication

**Becrypt OS** integrates with a number of the most common smartcards available today. The system will also perform a CRL check against the certificate on every login to ensure it has not been centrally revoked.

## External Interface Protection

The **Becrypt OS** centrally managed device policy can define strict white-lists of allowed peripheral devices at a device manufacturer, model or instance level (PID\VID).

## 802.1X and 802.1AE

**Becrypt OS** supports both variants of the IEEE standard for port-based Network Access Control. MACSEC (802.1AE) encrypts network packets from the device to the local switch.

## Integration with SIEM Systems

**Becrypt OS** can be configured to output detailed system logs directly to SIEM systems through Syslog or the output can be distributed to the SIEM system from the Becrypt Enterprise Manager Server. Becrypt OS supports RELP (Reliable Event Logging Protocol).

## Memory Wipe

**Becrypt OS** implements memory erasure functionality that runs automatically on device shutdown, combating data retention exploits.

## Key Benefits

Key benefits of **Becrypt OS** include:

- Unique health measurements of system and all application software
- Automated deployment and patch management reduces cost of ownership
- Automated roll-back and recovery from attempted compromise reduces system and user down-time
- Modern browser-based design, rapid boot and single sign-on enhances usability

## Management

**Becrypt OS** is centrally managed by the **Becrypt Enterprise Manager (BEM)**, a mobile device management system. BEM is scalable from a single server to fully resilient multiple servers with split roles and an SQL clustered back end for EUD deployments in the tens of thousands. BEM can also be configured with secure multi-tenancy for cloud based SaaS deployments.

To install and run BEM Web, you will need:

## Servers

- For the BEM Web Server, a machine running Windows 2012 or 2016 with IIS and .NET framework
- For the BEM Web Database, SQL Server 2012, 2014 or 2016


## Infrastructure

- Active directory server
- Certificate Authority Server

## Certificates

- SSL Certificate for securing IIS communication
- A certificate template for the device certificate

The Management Console, Registration Service and the BEM Web Application run as separate web services which can be installed separately allowing the solution to be deployed and secured in a multitude of different ways. The Server itself can be run on virtual or physical hosts and the BEM system supports any Windows Server version from 2012 R2 and any SQL versions from 2012 upwards. The **Becrypt OS / BEM** communications are protected using Cryptographic Message Syntax (CMS) which is an IETF standard for protecting, signing and encrypting data in transit. This allows for the traffic to be terminated and inspected by a Web Application Firewall and allows for load balancing of connections, unlike MTLS, thereby conforming to the latest NCSC guidance in this area.




## Remote Attestation

Measurements taken during the system's boot process are combined with the status of the device's firmware and stored in the TPM (Trusted Platform Module) on the system. A TPM is a dedicated microcontroller designed to help secure devices by integrating cryptographic keys and measurements into hardware protected memory.

Once **Becrypt OS** has successfully booted, it reports its verified status to the RA server service (running on BEM) in the form of a cryptographically protected TPM quote. Using previous TPM quote measurements, and validating associated certificates, the BEM server is able to verify both the identity and state of the client, based on the correctness of the remote attestation protocol. Remote attestation can also be configured to allow a 3rd Party, such as a VPN concentrator, Web Service or VDI Service, to attest that a device connecting to their service has not been tampered with by passing a request for attestation to the BEM server.

### Overview - Example Remote Attestation Configuration



## Why Becrypt?

With a heritage of creating National Cyber Security Centre-certified products, Becrypt is a trusted provider of endpoint cybersecurity software solutions. Becrypt helps the most security conscious organisations to protect their customer, employee and intellectual property data. It has an established client base which includes governments (central and defence), wider public sector, critical national infrastructure organisations and SMEs.

As one of the early pioneers in device encryption software to today being first to market with a unique desktop operating system, Becrypt continues to bring innovation to endpoint cyber security technology. A recognised cyber security supplier to the UK government, Becrypt's software also meets other internationally accredited security standards. Through its extensive domain and technical expertise, Becrypt helps organisations optimise the use of new technologies and its flagship security solution **Becrypt OS** delivers a highly secure platform for the modern age.


## Becrypt Secure Endpoint Services

Talk to the Becrypt Team about our service option for Becrypt OS customers, desktop-as-a-service. With the **Becrypt OS Management Service** platform pre-built and hosted within a secure cloud environment, organisations can rapidly deploy secure endpoints outsourcing patch management and security monitoring to reduce internal IT resource requirements, and leverage scale for ongoing cost reduction.

## Find out more about Becrypt

Call us: 0845 838 2080

Email us: [info@becrypt.com](mailto:info@becrypt.com)



View us on:  
[becrypt.com](https://becrypt.com)



Follow us on:  
[@Becrypt](https://twitter.com/Becrypt)



Support us on:  
[Becrypt](https://www.becrypt.com)



Follow us on:  
[Becrypt\\_Ltd](https://www.instagram.com/Becrypt_Ltd)

